


| | | |
|-----------|------|-----|
| 14 | 50 | 310 |
| 13 | 49 | 305 |
| 12.5 | 48 | 300 |
| 12 | 47 | 295 |
| 11.5 | 46.5 | 290 |
| 11 | 46 | 285 |
| 10.5 | 45 | 280 |
| 10 | 44.5 | 275 |
| 9.5 | 44 | 270 |
| 9 | 43 | 265 |
| 8.5 | 42.5 | 260 |
| 8 | 42 | 255 |
| 7.5 | 41 | 250 |
| 7 | 40.5 | 245 |
| 6.5 | 40 | 240 |
| 6 | 39 | 235 |
| 5 | 38 | 230 |
| 4.5 | 37 | 225 |
| 4 | 36 | 220 |
| BONT EURO | | MM |



MEASURE YOUR FOOT


with our size guide

MEASURE IN MILLIMETRES
CHECK SIZE CHART FOR WIDTH RECOMMENDATION

1. Check the scale of your size guide.

SCALE CHECK
*Print this page at 100%.
Do not modify the content in any way.*


CHECK THE SCALE WITH A RULER



2. Fold the paper at the heel edge so only the black line is showing. Check the entire 3mm black line is visible after folding and place the flat black line edge against a wall.
3. Place your right foot on top of the paper with your heel lightly touching the wall.
4. Plant your foot firmly on the ground and slowly roll your weight forward and onto the forefoot. Allow your foot to lift off the ground slightly. Look down and mark the position of your longest toe and widest point of foot.
5. Check Bont Cycling size and width recommendation.



Fold and against wall



| | | |
|-----|------|------|
| 310 | 50 | 14 |
| 305 | 49 | 13 |
| 300 | 48 | 12.5 |
| 295 | 47 | 12 |
| 290 | 46.5 | 11.5 |
| 285 | 46 | 11 |
| 280 | 45 | 10.5 |
| 275 | 44.5 | 10 |
| 270 | 44 | 9.5 |
| 265 | 43 | 9 |
| 260 | 42.5 | 8.5 |
| 255 | 42 | 8 |
| 250 | 41 | 7.5 |
| 245 | 40.5 | 7 |
| 240 | 40 | 6.5 |
| 235 | 39 | 6 |
| 230 | 38 | 5 |
| 225 | 37 | 4.5 |
| 220 | 36 | 4 |
| MM | EURO | BONT |

MEASURE IN MILLIMETRES
CHECK SIZE CHART FOR WIDTH RECOMMENDATION

MEASURE YOUR FOOT


with our size guide

1. Check the scale of your size guide.

SCALE CHECK
*Print this page at 100%.
Do not modify the content in any way.*

CHECK THE SCALE WITH A RULER

2. Fold the paper at the heel edge so only the black line is showing. Check the entire 3mm black line is visible after folding and place the flat black line edge against a wall.
3. Place your left foot on top of the paper with your heel lightly touching the wall.
4. Plant your foot firmly on the ground and slowly roll your weight forward and onto the forefoot. Allow your foot to lift off the ground slightly. Look down and mark the position of your longest toe and widest point of foot.
5. Check Bont Cycling size and width recommendation.



Fold and against wall

Vaypor 5 / Helix / Zero+ / Vaypor+ Kangaroo / Vaypor 6 / Crono MK2

| | | | | | | | | | | | | | | | | | | | |
|-------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Bont Cycling EU | 36 | 37 | 38 | 39 | 40 | 40.5 | 41 | 42 | 42.5 | 43 | 44 | 44.5 | 45 | 46 | 46.5 | 47 | 48 | 49 | 50 |
| Bont Cycling USA | 4 | 4.5 | 5 | 6 | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 12.5 | 13 | 14 |
| Last Length | 225 | 230 | 235 | 240 | 245 | 250 | 255 | 260 | 265 | 270 | 275 | 280 | 285 | 290 | 295 | 300 | 305 | 310 | 315 |
| Foot Length Range | 216-220 | 221-225 | 226-230 | 231-235 | 236-240 | 241-245 | 246-250 | 251-255 | 256-260 | 261-265 | 266-270 | 271-275 | 276-280 | 281-285 | 286-290 | 291-295 | 296-300 | 301-305 | 306-310 |
| Narrow Range | 81-83 | 82-84 | 83-86 | 84-87 | 86-88 | 87-90 | 88-91 | 90-92 | 91-93 | 92-95 | 93-96 | 95-97 | 96-99 | 97-100 | 99-101 | 100-103 | 101-104 | 103-105 | 104-106 |
| Standard Range | 84-93 | 85-94 | 87-95 | 88-97 | 89-98 | 91-100 | 92-102 | 93-103 | 94-105 | 96-106 | 97-107 | 98-108 | 100-110 | 101-111 | 102-113 | 104-114 | 105-116 | 106-117 | 107-119 |
| Wide Range | 94-97 | 95-98 | 96-100 | 98-101 | 99-103 | 101-104 | 103-106 | 104-107 | 106-109 | 107-110 | 108-112 | 109-113 | 111-115 | 112-116 | 113-118 | 115-119 | 117-121 | 118-122 | 120-124 |
| Double Wide Range | 98-102 | 99-103 | 101-105 | 102-106 | 104-108 | 105-110 | 107-111 | 108-113 | 110-115 | 111-116 | 113-118 | 114-119 | 116-121 | 117-122 | 119-124 | 120-125 | 122-127 | 123-129 | 125-130 |

Vaypor T

| | | | | | | | | | | | | | | | | | | | |
|-------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Bont Cycling EU | 36 | 37 | 38 | 39 | 40 | 40.5 | 41 | 42 | 42.5 | 43 | 44 | 44.5 | 45 | 46 | 46.5 | 47 | 48 | 49 | 50 |
| Bont Cycling USA | 3.5 | 4.5 | 5 | 6 | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 10 | 10.5 | 10.75 | 11 | 11.5 | 12 | 12.5 | 13 | 14 |
| Last Length | 223 | 232 | 238 | 245 | 250 | 254 | 259 | 263 | 268 | 272 | 277 | 281 | 285 | 290 | 294 | 299 | 305 | 312 | 317 |
| Foot Length Range | 210-218 | 219-227 | 228-233 | 234-240 | 241-245 | 246-249 | 250-254 | 255-258 | 259-263 | 264-267 | 268-272 | 273-276 | 277-280 | 281-285 | 286-289 | 290-294 | 295-300 | 301-307 | 308-312 |
| Narrow Range | 76-80 | 78-82 | 80-84 | 82-86 | 83-87 | 85-89 | 86-90 | 87-91 | 89-93 | 90-94 | 91-95 | 93-97 | 94-98 | 95-99 | 96-100 | 97-101 | 99-103 | 101-105 | 102-106 |
| Standard Range | 81-90 | 83-92 | 85-94 | 87-97 | 88-98 | 90-100 | 91-101 | 92-102 | 94-104 | 95-105 | 96-107 | 98-109 | 99-110 | 100-111 | 101-112 | 102-113 | 104-115 | 106-117 | 107-118 |
| Wide Range | 91-95 | 93-97 | 95-99 | 98-102 | 99-103 | 101-105 | 102-106 | 103-107 | 105-109 | 106-110 | 108-112 | 110-114 | 111-115 | 112-116 | 113-117 | 114-118 | 116-120 | 118-122 | 119-123 |
| Double Wide Range | 96-100 | 98-102 | 100-104 | 103-107 | 104-108 | 106-110 | 107-111 | 108-112 | 110-114 | 111-115 | 113-117 | 115-119 | 116-120 | 117-121 | 118-122 | 119-123 | 121-125 | 123-127 | 124-128 |

Riot+ / Riot TR+ / Riot MTB+ / Riot Buckle

| | | | | | | | | | | | | | | | | | | | |
|-------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Bont Cycling EU | 36 | 37 | 38 | 39 | 40 | 40.5 | 41 | 42 | 42.5 | 43 | 44 | 44.5 | 45 | 46 | 46.5 | 47 | 48 | 49 | 50 |
| Bont Cycling USA | 4 | 4.5 | 5 | 6 | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 12.5 | 13 | 14 |
| Last Length | 225 | 230 | 235 | 240 | 245 | 250 | 255 | 260 | 265 | 270 | 275 | 280 | 285 | 290 | 295 | 300 | 305 | 310 | 315 |
| Foot Length Range | 216-220 | 221-225 | 226-230 | 231-235 | 236-240 | 241-245 | 246-250 | 251-255 | 256-260 | 261-265 | 266-270 | 271-275 | 276-280 | 281-285 | 286-290 | 291-295 | 296-300 | 301-305 | 306-310 |
| Standard Range | 84-95 | 85-96 | 87-98 | 88-99 | 89-101 | 91-102 | 92-104 | 93-105 | 94-107 | 96-108 | 97-110 | 98-111 | 100-113 | 101-114 | 102-115 | 104-117 | 105-118 | 106-120 | 107-121 |
| Wide Range | 96-97 | 97-98 | 99-100 | 100-101 | 102-103 | 103-104 | 105-106 | 106-107 | 108-109 | 109-110 | 111-112 | 112-113 | 114-115 | 115-116 | 116-118 | 118-119 | 117-121 | 121-122 | 122-124 |

Motion

| | | | | | | | | | | | | | | | | | | | |
|-------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Bont Cycling EU | 36 | 37 | 38 | 39 | 40 | 40.5 | 41 | 42 | 42.5 | 43 | 44 | 44.5 | 45 | 46 | 46.5 | 47 | 48 | 49 | 50 |
| Bont Cycling USA | 4 | 4.5 | 5 | 6 | 6.5 | 7 | 7.5 | 8 | 8.5 | 9 | 9.5 | 10 | 10.5 | 11 | 11.5 | 12 | 12.5 | 13 | 14 |
| Last Length | 225 | 230 | 235 | 240 | 245 | 250 | 255 | 260 | 265 | 270 | 275 | 280 | 285 | 290 | 295 | 300 | 305 | 310 | 315 |
| Foot Length Range | 216-220 | 221-225 | 226-230 | 231-235 | 236-240 | 241-245 | 246-250 | 251-255 | 256-260 | 261-265 | 266-270 | 271-275 | 276-280 | 281-285 | 286-290 | 291-295 | 296-300 | 301-305 | 306-310 |
| Width Range | 84-97 | 85-98 | 87-100 | 88-101 | 89-103 | 91-104 | 92-106 | 93-107 | 94-109 | 96-110 | 97-112 | 98-113 | 100-115 | 101-116 | 102-118 | 104-119 | 105-121 | 106-122 | 107-124 |